

# (12) United States Patent **Ajami**

US 6,284,219 B1 (10) Patent No.:

(45) Date of Patent: \*Sep. 4, 2001

## IN VIVO DETERMINATION OF METABOLIC FUNCTION FOR USE IN THERAPY MANAGEMENT

(75) Inventor: Alfred M. Ajami, Brookline, MA (US)

Assignee: Phenome Sciences Inc., Woburn, MA

This patent issued on a continued pros-(\*) Notice: ecution application filed under 37 CFR

1.53(d), and is subject to the twenty year patent term provisions of 35 U.S.C. 154(a)(2).

Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 09/107,965

Jun. 30, 1998 (22) Filed:

Int. Cl.<sup>7</sup> ...... A61K 51/00; A61M 36/14

**U.S. Cl.** ...... 424/1.11; 424/1.81; 435/4

424/1.65, 1.81, 9.2; 435/4, 183, 188, 814;

250/472.1; 600/9

#### (56)References Cited

### U.S. PATENT DOCUMENTS

4,298,347	11/1981	Walsh 23/230 B		
4,665,082	5/1987	Meister et al 514/365		
4,676,974	6/1987	Hofmann et al 424/9		
4,830,010	5/1989	Marshall 128/630		
4,940,658	7/1990	Allen et al 435/4		
4,947,861	8/1990	Hamilton 128/719		
5,100,779	3/1992	Watkins 435/25		
5,212,096	5/1993	Kolhouse et al 436/93		
5,233,997	8/1993	Klein et al 128/718		
5,374,560	12/1994	Allen et al 436/129		
5,386,832	2/1995	Wagner et al 128/665		
5,413,917	5/1995	Malloy et al 435/35		
5,432,058	7/1995	Lange, III et al 435/11		
5,438,017	8/1995	Allen et al 436/89		
5,439,803	8/1995	Ross et al 435/14		
5,449,688	9/1995	Wahl et al 514/546		
5,466,434	11/1995	Kyle 424/9		
5,506,147	4/1996	Kolhouse et al 436/86		
5,597,548	1/1997	Sherry et al 424/9.3		
5,628,328	5/1997	Nissen et al 128/774		
5,707,602	1/1998	Klein 424/1.17		
5,756,067	5/1998	Redgrave et al 424/1.81		
5,783,445	7/1998	Murnick 436/35		
EODELON DAWENTE DOOLD (ENTER				

#### FOREIGN PATENT DOCUMENTS

(DE) .	12/1977	26 26 533
(EP)	5/1986	0253927
(EP) A61K/49/00	8/1997	0826377
(EP).	2/1998	825 260
(EP).	3/1998	826 377
(EP).	12/1999	966 975
(WO).	4/1993	93/05780
(WO).	5/1995	WO96/14091
(WO).	10/1997	WO97/35622
(WO).	6/1998	WO98/24362

WO98/29728 7/1998 (WO).

#### OTHER PUBLICATIONS

Dox et al, 1993, The Harper Collins Illustrated Medical Dictionary, pp. 63, 260, & 377.\*

Adler et al., "New Methods for Assessment of Enzyme Activity: Do They Help to Optimize Enzyme Treatment?" Digestion 54:3-9 (1993).

Arnaud et al., "Study of the Demethylation of [1,3, 7-Me-13C] Caffeine in Man Using Respiratory Exchange Measurements," Biomed. Mass. Spec. 7:521-524 (1980).

Arnold et al., "Increased Whole Body Protein Breakdown Predominates over Increased Whole Body Protein Synthesis in Multiple Organ Failure," Clinical Science 84:655-661

Baker et al., "The Aminopyrine Breath Test Does Not Correlate with Histologic Disease Severity in Patients with Cholestasis," Hepatology 7:464–467 (1987).

Barr et al., "Isotope Dilution-Mass Spectrometric Quantification of Specific Proteins: Model Application with Apolipoprotein A-1," Clinical Chemistry 42:1676–1682 (1996).

Barshop et al., "Metabolism of 1-13C-Propionate In Vitro in Patients with Disorders of Propionate Metabolism," Pediatric Research 30:15-22 (1991).

Barstow et al., "Influence of Increased Metabolic Rate on [13C]bicarbonate Washout Kinetics," American Physiological Society 0363:R163-R171 (1990).

(List continued on next page.)

Primary Examiner—José G. Dees Assistant Examiner—Dameron L. Jones (74) Attorney, Agent, or Firm-Weingarten, Schurgin, Gagnebin & Hayes LLP

#### **ABSTRACT**

It is an object of the present invention to provide in vivo analytical methods that allow for diagnosis and management of therapy for diseases involving discrete biochemical pathways. In the method of the invention, a labelled tracer probe, a specifically designed substrate of a "gateway" enzyme, an enzyme marking a regulatory point in a discrete biochemical pathway, is administered to a subject; a labelled product of the action of the enzyme is measured; and the appearance and concentration of the product are related to the disease condition of interest. Determination of the rate of substrateproduct conversion of the gateway enzyme allows for the analysis to be made. The method involves administering a defined amount of a labelled "metaprobe" substrate of the gateway enzyme to a subject, at a site that provides access to a desired pool of the gateway enzyme in the subject, and measuring the amount of the chosen labelled product. The presence and amount of the chosen labelled product in, e.g., the breath, definitively indicates that the labelled metaprobe has been metabolized by the specific enzyme in the specific biochemical pathway under consideration, and from the calculated rate of substrate-product conversion by the gateway enzyme, the desired diagnostic determination may be made.

### 31 Claims, 15 Drawing Sheets-